

Table 26. Natural gas home customer-weighted heating degree days

Month/Year/Type of data	New England	Middle Atlantic	East North Central	West North Central	South Atlantic
	CT, ME, MA, NH, RI, VT	NJ, NY, PA	IL, IN, MI, OH, WI	IA, KS, MN, MO, ND, NE, SD	DE, FL, GA, MD, DC, NC, SC, VA, WV
November					
Normal	703	665	758	840	442
2013	756	729	823	867	511
2014	749	742	909	1,001	561
% Diff (normal to 2014)	6.5	11.6	19.9	19.2	26.9
% Diff (2013 to 2014)	-0.9	1.8	10.5	15.5	9.8
December					
Normal	1,045	995	1,136	1,249	700
2013	1,055	983	1,213	1,397	619
2014	903	888	1,000	1,093	608
% Diff (normal to 2014)	-13.6	-10.8	-12.0	-12.5	-13.1
% Diff (2013 to 2014)	-14.4	-9.7	-17.6	-21.8	-1.8
January					
Normal	1,209	1,155	1,303	1,391	803
2014	1,258	1,283	1,489	1,464	940
2015	1,285	1,239	1,313	1,256	814
% Diff (normal to 2015)	6.3	7.3	0.8	-9.7	1.4
% Diff (2014 to 2015)	2.2	-3.4	-11.8	-14.2	-13.4
February					
Normal	1,030	980	1,061	1,079	638
2014	1,115	1,096	1,314	1,343	652
2015	1,364	1,290	1,397	1,305	845
% Diff (normal to 2015)	32.4	31.6	31.7	21.0	32.5
% Diff (2014 to 2015)	22.3	17.7	6.3	-2.8	29.6
November to February					
Normal	3,987	3,795	4,258	4,559	2,583
2014	4,184	4,091	4,839	5,071	2,722
2015	4,301	4,159	4,619	4,655	2,828
% Diff (normal to 2015)	7.9	9.6	8.5	2.1	9.5
% Diff (2014 to 2015)	2.8	1.7	-4.6	-8.2	3.9

See footnotes at end of table.

Table 26. Natural gas home customer-weighted heating degree days – continued

Month/Year/Type of data	East South Central	West South Central	Mountain	Pacific ^b	U.S. Average ^b
	AL, KY, MS, TN	AR, LA, OK, TX	AZ, CO, ID, MT, NV, NM, UT, WY	CA, OR, WA	
November					
Normal	455	305	739	366	589
2013	544	372	648	304	619
2014	618	406	699	267	662
% Diff (normal to 2014)	35.8	33.1	-5.4	-27.1	12.4
% Diff (2013 to 2014)	13.6	9.1	7.9	-12.2	7.0
December					
Normal	722	538	999	530	885
2013	700	615	1,036	512	912
2014	621	443	884	436	770
% Diff (normal to 2014)	-14.0	-17.7	-11.5	-17.7	-13.0
% Diff (2013 to 2014)	-11.3	-28.0	-14.7	-14.8	-15.6
January					
Normal	829	611	1,026	532	991
2014	997	647	912	340	1,046
2015	824	627	901	389	965
% Diff (normal to 2015)	-0.6	2.6	-12.2	-26.9	-2.6
% Diff (2014 to 2015)	-17.4	-3.1	-1.2	14.4	-7.7
February					
Normal	630	429	803	412	793
2014	696	502	764	363	896
2015	867	527	666	257	954
% Diff (normal to 2015)	37.6	22.8	-17.1	-37.6	20.3
% Diff (2014 to 2015)	24.6	5.0	-12.8	-29.2	6.5
November to February					
Normal	2,636	1,883	3,567	1,840	3,258
2014	2,937	2,136	3,360	1,519	3,473
2015	2,930	2,003	3,150	1,349	3,351
% Diff (normal to 2015)	11.2	6.4	-11.7	-26.7	2.9
% Diff (2014 to 2015)	-0.2	-6.2	-6.3	-11.2	-3.5

^a Normal is based on calculations of data from 1971 through 2000.

^b Excludes Alaska and Hawaii.

Note: See Appendix A, Explanatory Note 10, for discussion of Heating Degree-Days computations.

Source: National Oceanic and Atmospheric Administration.